























22. Srinivas SM, Natarajan N, Kuroiwa J, et al. Determination of radiation absorbed dose to primary liver tumors and normal liver tissue using post-radioembolization  $^{90}\text{Y}$  PET. *Frontiers in Oncology* (2014) 4(455).
23. Kao YH, Steinberg JD, Tay YS et al. Post-radioembolization yttrium-90 PET/CT - part 2: dose-response analysis for predictive dosimetry for resin microspheres. *EJNMMI Research* 2013; 3:57.
24. Stabin MG, Eckerman KF, Ryman JC, Williams LE. Bremsstrahlung Radiation Dose in Yttrium-90 Therapeutic Applications. *J Nucl Med* (1994) 35:1377-1380.
25. Balagopal A, Kappadath SC. Characterization of  $^{90}\text{Y}$ -SPECT/CT self-calibration approaches on the quantification of voxel-level absorbed doses following  $^{90}\text{Y}$ -microsphere selective internal radiation therapy. *Med Phys* 2018; 45(2):875-883.
26. Chiesa C, Sjogreen-Gleisner K, Walrand S, et al. EANM dosimetry committee series of standard operational procedures: a unified methodology for  $^{99\text{mTc}}$ -MAA pre- and  $^{90\text{Y}}$  peri-therapy dosimetry in liver radioembolization with  $^{90\text{Y}}$  microspheres. *EJNMMI Physics* 2021; 8(77).
27. Allred JD, Niedbala J, Mikell JK, et al. The value of  $^{99\text{mTc}}$ -MAA SPECT/CT for liver tumor quant estimation in  $^{90\text{Y}}$  radioembolization: a phantom and patient study. *EJNMMI Res* 2018; 8(50)
28. Thompson BC, Dezarn WA. Retrospective SPECT/CT dosimetry following transarterial radioembolization. *J Appl Clin Med Phys* 2021; 22(4):143-150.
29. Soret M, Bacharach SL, Buvat I. Partial-Volume Effect in PET Tumor Imaging. *J Nucl Med* 2001; 42:932-945. DOI: 10.2967/jnumed.106.035774.